



ORANGE PHARMA (P) LIMITED

175, B-wing, Vardhman Grand Plaza
Rohini, Sector-3, New Delhi-110085

INDIA

Tel. no: +91 11 47090161 (3 lines)

Fax. no: +91 11 47081062

Email: orangepharma@orangepharma.com / exports.orange@gmail.com

Website: www.orangepharma.com



| S.No | Detail | Form | Dosage | Pack Size | Therapeutic Segment |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----------|---------------------|
| 1 | Amoxicillin Trihydrate Capsule | CAP | 500mg | 10X10 | Antibiotic |
| 2 | Amoxicillin Trihydrate Capsule | CAP | 500mg | 500/BOT | Antibiotic |
| 3 | Amoxicillin Trihydrate Capsule | CAP | 250 mg | 10X10 | Antibiotic |
| 4 | Amoxicillin Trihydrate Capsule | CAP | 250 mg | 500/BOT | Antibiotic |
| 5 | Chloramphenicol | CAP | 250mg | 10X10 | Antibacterial |
| 6 | Chloramphenicol | CAP | 500mg | 10X10 | Antibacterial |
| 7 | Omeprazole Capsule | CAP | 10 mg | 500/BOT | Antiulcers |
| 8 | Omeprazole Capsule | CAP | 20 mg | 10x10 | Antiulcers |
| 9 | Omeprazole Capsule | CAP | 20 mg | 500/BOT | Antiulcers |
| 10 | Piroxicam Caps | CAP | 20 mg | 10X10 | NSAIDS |
| 11 | Tetracycline Hydrochloride | CAP | 250 mg | 10X10 | Antibiotic |
| 12 | Tetracycline Hydrochloride | CAP | 500 mg | 10X10 | Antibiotic |
| 13 | Tramadol Hydrochloride Capsules | CAP | 50 mg | 10x10 | Analgesics |
| 14 | Acyclovir Cream | CREAM | 5% w/w | 1 | Antiviral |
| 15 | Acyclovir Ointment | CREAM | 5% w/w | 1 | Antiviral |
| 16 | Betamethasone Valerate Cream Composition : Betamethasone Valerate BP 0.12% w/w eq. to Betamethasone Chlorocresol BP 0.1% w/w (as preservative) Cream base q.s. | CREAM | 0.12% w/w | 1 | Topical Steroids |
| 17 | Betamethasone Valerate Ointment | CREAM | 0.1% w/w | 1 | Topical Steroids |
| 18 | Chloramphenicol Eye Ointment | CREAM | tube 5g | 1 | Bacteriostatic |
| 19 | Clobetasol Cream | CREAM | 0.05% w/w | 1 | Corticosteroids |
| 20 | Clotrimazole BP Cream 1.0 % w/w | CREAM | tube 10 gm | 1 | Antifungal |
| 21 | Clotrimazole BP Cream 1.0 % w/w | CREAM | tube 15gm | 1 | Antifungal |
| 22 | Clotrimazole BP Cream 1.0 % w/w | CREAM | tube 30gm | 1 | Antifungal |
| 23 | DICLO PLUS STRONG GEL Composition: Diclofenac diethylamine BP 1.16% w/w eq. to Diclofenac Sodium 1.0% w/w Methyl Salicylate BP 10.0% w/w, Menthol BP 5.0% w/w, Linseed Oil 3%, Benzyl Alcohol BP 1.0% w/w (As preservative), | CREAM | tube 15 gm | 1 | NSAIDS |
| 24 | DICLO PLUS STRONG GEL | CREAM | tube 30 gm | | NSAIDS |
| 25 | DICLO PLUS STRONG GEL | CREAM | tube 50 gm | | NSAIDS |
| 26 | Diclofenac Gel BP Composition: Diclofenac Diethylamine BP 1.16% w/w Eq. to Diclofenac Sodium 1% w/w Gel base q.s. | CREAM | tube 15 gm | 1 | NSAIDS |
| 27 | Diclofenac Gel BP | CREAM | tube 30 gm | 1 | NSAIDS |
| 28 | Diclofenac Gel BP | CREAM | tube 50 gm | 1 | NSAIDS |
| 29 | Ketoconazole Cream | CREAM | 2%-20 GM | 1 | Antifungal |
| 30 | Miconazole Cream | CREAM | 2.00% | 1 | Antifungal |

| | | | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|---|-----------------------|
| 31 | Povidone Iodine Ointment 5% COMPOSITION: Povidone–Iodine 5 % w/w (0.5% w/w available Iodine) Water soluble ointment base q.s. | CREAM | 5% | 1 | Antimicrobial |
| 32 | Silver Sulphadiazine 1% w/w+Chlorhexidine Gluconate 0.20 % w/w Cream | CREAM | tube 20g | 1 | Topical antibacterial |
| 33 | Tetracycline 1% Eye Ointment USP | CREAM | tube 5g | 1 | Antibiotic |
| 34 | Tetracycline 1% Eye Ointment USP | CREAM | tube 3g | 1 | Antibiotic |
| 35 | Tetracycline 3% Skin Ointment | CREAM | tube 20g | 1 | Antibiotic |
| | | | | | |
| 36 | Chloramphenicol Eye Drops IP & BP | Drops | 10ml | 1 | Bacteriostatic |
| 37 | Ciprofloxacin Ophthalmic Solution USP 0.3% | Drops | 10ml | 1 | Antibiotic |
| 38 | Dexamethasone Sodium Phosphate, Ophth. | Drops | 5ml | 1 | NSAIDS |
| 39 | Gentamycin Ear and Eye Drop | Drops | 0.4%/10ml, | 1 | Antibiotic |
| 40 | Sulfacetamide Sodium Ophthalmic Solution | Drops | 10% | 1 | Antibacterial |
| 41 | Sulfacetamide Sodium Ophthalmic Solution | Drops | 20% | 1 | Antibacterial |
| 42 | Sulfacetamide Sodium Ophthalmic Solution | Drops | 30% | 1 | Antibacterial |
| 43 | Tobramycin Ophthalmic Solution | Drops | | 1 | Antibiotic |

| | | | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------------|----------------|------------------------------------|
| 44 | a b Arteether 75mg/ml | INJ | 2ml/3ml | 3 amp/box | Antimalarials |
| 45 | AMIKACIN SULPHATE INJ 500 mg | INJ | 500 mg | 10 | Antibacterial |
| 46 | Aminophylline Injection | INJ | 24mg/ml | 10mlx5amp | Antiasthmatic and COPD |
| 47 | Amoxycillin & Clavulanic Potassium injection | INJ | 1 gm | 1 | Antibiotic |
| 48 | Analgin | INJ | 1 ml | 1ml x 10s | NSAIDS |
| 49 | Anti-Spasm Injection - 5 ml/amp. Each ml. contains: Metamizole Sodium 500 mg; Fenpiverinium Bromide 0.02 mg; Hydrochloride 2 mg / ml Hydrochloric acid 1 mmol / l 7 mg, for injection upto 1 ml. | INJ | 5 ml | 5 ml x 5 Amp | NSAIDS |
| | | | | | Pitofenone Excipients: water |
| 50 | Artemether Inj. 80mg / ml | INJ | 80 mg | 10 | Antimalarial |
| 51 | Artesunate Injection 60mg | INJ | 60 mg | 10 | Antimalarial |
| 52 | B Complex Inj vitamin B Complex Injection Each ml contains : Vitamin B1 BP 10 mg Vitamin B2 BP 0.5 mg Vitamin B6 BP 1.0 mg Niacinamide BP | INJ | 10 ml | 50 vials/box | vitamins |
| 53 | Ceftriaxone Sodium for Injection | INJ | 1000 mg | 1 | Antibiotic |
| 54 | Ceftriaxone Sodium for Injection | INJ | 250 mg | 1 | Antibiotic |
| 55 | Ceftriaxone Sodium for Injection | INJ | 500 mg | 1 | Antibiotic |
| 56 | Ceftriaxone Sodium for Injection + Lidocaine 1% 5mlWFI (without tray) | | 1 gm | 1 vial + 1 amp | Antibiotic |
| 57 | Ceftriaxone Sodium for Injection + WFI (without tray) | INJ | 1000 mg | 1 | Antibiotic |
| 58 | Ceftriaxone Sodium for Injection + WFI (without tray) | INJ | 250 mg | 1 | Antibiotic |
| 59 | Ceftriaxone Sodium for Injection + WFI (without tray) | INJ | 500 mg | 1 | Antibiotic |
| 60 | Chloramphenicol Sodium Succinate for inj. | INJ | 1gm | 1Gm VIAL | Antibiotic |
| 61 | Chloroquine phosphate 40mg/ml | INJ | 30 ml | 10 vials/box | Antimalarial |
| 62 | cyanocobalamin | inj | 100 mcg/ml | 1mlx10amp | vitamins |
| 63 | Dexamethasone Sodium Phosphate 4mg/ml | INJ | 2 ml Amp | 2mlx10 amp | NSAIDS |
| 64 | Dexamethasone Sodium Phosphate | INJ | 4mg/ml | 1mlx10 amp | NSAIDS |
| 65 | Diazepam Inj 5mg/ml | INJ | 2 ml | 10 amp/box | Antianxiety |
| 66 | Diclofenac Sodium Injection 25mg | INJ | 3 ml | 25 amp/box | NSAIDS |
| 67 | Diclofenac Sodium Injection 25mg | INJ | 3 ml | 10 amp | NSAIDS |
| 68 | Diclofenac Sodium Injection 25mg | INJ | 3 ml | 5 amp | NSAIDS |
| 69 | Fluphenazine decanoate 25mg/ml | INJ | 1 ml | 10 amp/box | Neuroleptics |
| 70 | furosemid injection | INJ | 10mg/ml | 2ml Ampx10 | diuretics |
| 71 | gentamicin injection | INJ | 40mg/ml | 2ml Ampx10 | antibiotic |
| 72 | hydrocortisone sodium succinate | INJ | 100 mg Vial | 10 vials | NSAIDS |
| 73 | hydrocortisone sodium succinate | INJ | 250 mg Vial | 10 vials | NSAIDS |
| 74 | hydrocortisone sodium succinate | INJ | 500 mg Vial | 10 vials | NSAIDS |
| 75 | kanamycin acid sulphate | INJ | 1gm | 10 vials | Antibiotic |
| 76 | lidocain | INJ | 1% | 30 ml | Anesthetic - local |
| 77 | lidocain 1% (10mg)/ml, 50ml multi dose vial | INJ | 1% | 50 ml | Anesthetic - local |
| 78 | lidocain | INJ | 2% | 30 ml | Anesthetic - local |
| 79 | lidocain 2% (20mg)/ml, 50ml multi dose vial | INJ | 2% | 50 ml | Anesthetic - local |
| 80 | Lidocaine 2% (20mg) + adrenaline 0.0125mg/ml, 50ml multi dose | INJ | 50 ml | 10 vials/box | |
| 81 | Metamizole Sodium 500 mg/ml – 1 ml amp | INJ | 500mg/ml | 1mlx10AMP | NSAIDS |
| 82 | Metamizole Sodium 500 mg/ml – 5 ml amp | INJ | 5 ml | 5mlx5Amp | NSAIDS |
| 83 | Metoclopramide Hydrochloride 5 mg / ml | INJ | 10mg/2ml | 2mlx10Amp | antiemetic |
| 84 | prednisolone sodium phosphate | inj | 30mg/ml | 1mlx3's tray | NSAIDS |
| 85 | Paracetamol Injection 150mg/ml | INJ | 150 mg | 10 amp/box | NSAIDS |
| 86 | Pentazocine lactate 30mg/ml | INJ | 1 ml | 10 amp/box | Analgesics |
| 87 | Papaverine Hydrochloride Injection USP 2% | | 2% | 10 AMP | Vasodilators |
| 88 | sodium chloride 0,9%w/v | INJ | 0.90% | 2mlx10 amp | Electrolyte replacement |
| 89 | sodium chloride 0,9%w/v | INJ | 0.90% | 5mlx10 | Electrolyte replacement |
| 90 | Tramadol Inj 50mg/ml | INJ | 2 ml | 10 amp/box | Analgesics |
| 91 | water for injection steril | INJ | 5 ml | 10 amp | non-isotonic solution |

| | | | | | |
|-----|--------------------------------------------------|-----|------------|---------|----------------------------|
| 92 | Acyclovir Tablets USP | TAB | 200mg | 2x10 | Antiviral |
| 93 | Albendazole Tablets | TAB | 200 mg | 10x10 | Anthelmintics |
| 94 | Albendazole Tablets | TAB | 400 mg | 10x10 | Anthelmintics |
| 95 | amlodipine and lisinopril tablets | TAB | | 2x14 | Antihypertensive |
| 96 | Amlodipine Besylate Tablets | TAB | 5 mg | 10x10 | Antihypertensive |
| 97 | Amlodipine Besylate Tablets | TAB | 5 mg | 500/BOT | Antihypertensive |
| 98 | Ampicilline Trihydrate 250 mg, | TAB | 250 mg | 1x10 | Antibiotic |
| 99 | Ampicilline Trihydrate 250 mg, | TAB | 250 mg | 10x10 | Antibiotic |
| 100 | Artemether 20 mg and Lumefantrine Tablets 120 mg | TAB | 20mg/120mg | 24 | Antimalarial |
| 101 | Atenolol Tablets | TAB | 50 mg | 10x10 | Beta-Blockers |
| 102 | Azithromycine 250 mg | TAB | 250 mg | 1x6 | Antibiotic |
| 103 | Azithromycine 500 mg, | TAB | 500 mg | 1x3 | Antibiotic |
| 104 | captopril | TAB | 12.50 MG | 10X10 | Antihypertensive |
| 105 | captopril | TAB | 25 MG | 10X10 | Antihypertensive |
| 106 | captopril | TAB | 25 MG | 500/BOT | Antihypertensive |
| 107 | captopril | TAB | 50 MG | 10X10 | Antihypertensive |
| 108 | Ciproflaxacine 250 mg , | TAB | 250 mg | 1x10 | Antibiotic |
| 109 | Ciproflaxacine 250 mg , | TAB | 250 mg | 10x10 | Antibiotic |
| 110 | Ciproflaxacine 500 mg , | TAB | 500 mg | 1x10 | Antibiotic |
| 111 | Ciproflaxacine 500 mg , | TAB | 500 mg | 10 x 10 | Antibiotic |
| 112 | Co-Trimoxazole Tablets | TAB | 480 mg | 10x10 | Antibacterial |
| 113 | Diclofenac 100 mg | TAB | 100 mg | 2x10 | NSAIDS |
| 114 | Diclofenac 100 mg | TAB | 100 mg | 10 x 10 | NSAIDS |
| 115 | Diclofenac Sodium Tabs 50mg | TAB | 50 mg | 10x10 | NSAIDS |
| 116 | Erythromycine 250 mg, | TAB | 250 mg | 1x10 | Macrolide antibiotics |
| 117 | Erythromycine 250 mg, | TAB | 250 mg | 10 x 10 | Macrolide antibiotics |
| 118 | Furazolidon | TAB | 100mg | 10X10 | Antibacterial |
| 119 | Fursemide Tablet | TAB | 40 mg | 10x10 | diuretics |
| 120 | Glibenclamide Tabs. 5 mg | TAB | 5 mg | 10X10 | Antidiabetics |
| 121 | Glibenclamide Tabs. 5 mg | TAB | 5 mg | 500/BOT | Antidiabetics |
| 122 | Ibuprofen tablets | TAB | 200 mg | 10X10 | NSAIDS |
| 123 | Ibuprofen tablets | TAB | 400 mg | 10X10 | NSAIDS |
| 124 | Ibuprofen tablets | TAB | 600 mg | 10X10 | NSAIDS |
| 125 | mebendazol | TAB | 25 mg | 10X10 | Anthelmintics |
| 126 | mebendazol | TAB | 50 mg | 10X10 | Anthelmintics |
| 127 | Metronidazole tablet 200 mg | TAB | 200 mg | 1x10 | Antibiotic |
| 128 | Metronidazole tablet 200 mg | TAB | 200 mg | 10 x 10 | Antibiotic |
| 129 | Metronidazole tablet 400 mg | TAB | 400 mg | 1x10 | Antibiotic |
| 130 | Metronidazole tablet 400 mg | TAB | 400 mg | 10 x 10 | Antibiotic |
| 131 | Metronidazole tablet 500 mg | TAB | 500 mg | 1x10 | Antibiotic |
| 132 | Metronidazole tablet 500 mg | TAB | 500 mg | 10 x 10 | Antibiotic |
| 133 | Ofloxacin Tablets 200 mg | TAB | 200 mg | 10X10 | Antibiotic |
| 134 | Piracetam | TAB | 400 mg | 10X10 | nootropics and neurotonics |
| 135 | Piracetam | TAB | 600 mg | 10X10 | nootropics and neurotonics |
| 136 | Sildenafil Tablets | TAB | 100 mg | 10X10 | PDE5 inhibitors |
| 137 | Sildenafil Tablets | TAB | 50 mg | 10X10 | PDE5 inhibitors |

| | | | | | |
|-----|-------------------------------------------------------------------------------------------------|-----|---------------|--------|---------------------------------------------|
| 138 | Ciprofloxacin Intravenous Infusion | LVP | 200mg | 100 ml | Antibiotic |
| 139 | Paracetamol Intravenous Infusion | LVP | 1000mg | 100 ml | NSAIDS |
| 140 | Levofloxacin Intravenous Infusion | LVP | 500 mg | 100 ml | Antibiotic |
| 141 | Fluconazole 200mg /100ml | LVP | 200 mg | 100 ml | Antifungal |
| 142 | Metronidazole Intravenous Infusion 500mg | LVP | 500 mg | 100 ml | Antibiotic |
| 143 | Ofloxacin Intravenous Infusion 200 mg | LVP | 200 mg | 100 ml | Antibiotic |
| 144 | Ornidazole 500mg | LVP | 500 mg | 100 ml | Antibiotic |
| 145 | Moxifloxacin 400mg | LVP | 400 mg | 100 ml | Antibiotic |
| 146 | Lenzolid 200mg | LVP | 200 mg | 100 ml | Antibiotic |
| 147 | Ofloxacin 200mg + Ornidazole 500mg | LVP | 200 mg+500 mg | 100 ml | Antibiotic |
| 148 | RL Compound Sodium Lactate Inj IP/BP (Ringer Lactate Solution for Injection) | LVP | | 500 ml | .Electrolytes |
| 149 | EP (for use in pediatric) (Multiple electrolyte with Dextrose Injection IP/BP Type -1) | LVP | | 500 ml | .Electrolytes |
| 150 | EM (for use in maintenance) (Multiple electrolyte with Dextrose Injection IP/BP Type -3) | LVP | | 500 ml | .Electrolytes |
| 151 | Dextroze 5% IP/BP | LVP | 5% | 500 ml | Carbohydrate caloric nutritional supplement |
| 152 | Dextroze 5% IP/BP | LVP | 5% | 250 ml | Carbohydrate caloric nutritional supplement |
| 153 | Sodium chloride 0,9% | LVP | 0.90% | 500 ml | al Electrolyte, Sodium |
| 154 | Sodium chloride 0,9% | LVP | 0.90% | 250 ml | al Electrolyte, Sodium |
| 155 | Sodium chloride 0,9% | LVP | 0.90% | 100 ml | al Electrolyte, Sodium |
| 156 | Mannitol 20% | LVP | 20% | 250 ml | Osmotic diuretic |
| 157 | Mannitol 20% | LVP | 20% | 100 ml | Osmotic diuretic |

Aug-15